



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/790,416

03/01/2004

Fred H. Burbank

SENOP-00106

1476

61808

7590

01/29/2009

EDWARD J. LYNCH, PATENT ATTORNEY
ONE EMBARCADERO CENTER
SUITE 562
SAN FRANCISCO, CA 94111

EXAMINER

TOWA, RENE T

ART UNIT

PAPER NUMBER

3736

MAIL DATE

DELIVERY MODE

01/29/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/790,416	Applicant(s) BURBANK ET AL.	
	Examiner RENE TOWA	Art Unit 3736	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 November 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 40-51 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 40-51 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This Office action is responsive to an amendment filed November 13, 2008.

Claims 1 and 40-51 are pending. Claims 1, 40, 45 & 49 are amended. Claims 2-39 have been cancelled.

Claim Objections

2. The objection is withdrawn due to amendment.

Double Patenting

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. **Claims 1, 40, 45 & 49** are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 & 7 of U.S. Patent No. 7,322,938 in view of Tihon et al. (US 5,415,656).

The patent claims recite an elongated shaft having a longitudinal axis (see “elongated shaft having a longitudinal axis” of the instant claims); a first cutting member (see “a tissue penetrating distal end” of the instant claims); an electrosurgical cutting element coupled to the distal shaft portion; and, at least one encapsulating element (see encapsulation component from the instant claims) coupled to the distal shaft portion.

As such, the patent claims teach a biopsy instrument, as disclosed above, that fails to explicitly teach an electrical conductor.

However, **Tihon et al.** disclose an apparatus comprising an electrosurgical cutting wire 1, energized by radio frequency (RF) energy; wherein an electrical conductor 35 having a distal end electrically connected to the electrosurgical cutting element and a proximal end configured to be connected to a source ESU to deliver radio frequency energy from the source to the electrosurgical cutting element (see figs. 2 & 8; column 1/lines 65-68; column 2/lines 1-5 & 20-31; column 3/lines 21-33; column 5/lines 56-64; column 8/lines 32-41).

Since the patent teaches an electrosurgical cutting element while Tihon et al. teach an arrangement comprising a conductor for powering an electrosurgically powered cutter to excise a body tissue makes the cutting operation easier, more direct, and thus less traumatic, than cutting with an unpowered cutter (see col. 1, line 65 to col. 2, line 5), it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide the instrument of the patent with an electrical conductor as taught by Tihon et al. in order to power the electrosurgical cutter so as to make the cutting operation easier, more direct and thus less traumatic, than cutting with

an unpowered cutter. Moreover, use of RF powered cutting element permits the convenient application of coagulating power for hemostasis.

Claim Rejections - 35 USC § 103

5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

6. **Claims 1, 40-45 & 49-50** are rejected under 35 U.S.C. 103(a) as being unpatentable over McGukin, Jr. (US 6,280,450) in view of Tihon et al. (US 5,415,656).

In regards to **claims 1, 40-45 & 49-50**, **McGukin, Jr.** discloses a biopsy instrument for retrieving body tissue, having a longitudinal axis and comprising:

- (a) an elongated shaft 20 having a longitudinal axis (see col. 6, lines 16-20);
 - (b) a tissue penetrating distal end 65 adapted for tissue penetration (see col. 6, lines 50-52); and,
 - (c) a distal shaft portion proximal to the distal end 65;
 - (d) an electrically powered cutting element or component (50, 55) coupled to the distal shaft portion which is longitudinally disposed on a distal shaft portion of the instrument, which is actuatable between a radially retracted position and a radially extended position, relative to the distal shaft portion, and which is movable in said radially extended position to isolate a desired intact issue specimen from surrounding tissue by defining a peripheral margin about said tissue specimen (see col. 6, lines 23-26; col. 7, lines 30-38),
- wherein the tissue cutting component (50, 55) is longitudinally disposed on the distal shaft portion;

wherein the tissue cutting component (50, 55) is configured to be rotated at least in part about the longitudinal axis in the radially extended position to isolate the tissue specimen; and

(e) an encapsulation or tissue collection component (25, 30) configured to extend over the distal shaft portion to encapsulate the isolated tissue specimen and to secure the intact tissue specimen to the distal shaft portion to facilitate removal of the intact tissue specimen from a patient's body along with removal of the instrument (see col. 6, lines 34-38 & 45-49; col. 7, lines 39-47);

wherein the tissue collection component (25, 30) is fully capable of maintaining the encapsulated tissue specimen intact;

wherein both the cutting component (50, 55) and the tissue collection component (25, 30) are movable from a retracted position to an expanded position (see figs. 1-5).

McGukin, Jr. discloses an instrument, as described above, that teaches all the limitations of the claims except for an electrosurgical cutting element, an electrical conductor connected to said electrosurgical cutting element.

However, **Tihon et al.** disclose an apparatus comprising an electrosurgical cutting wire 1, energized by radio frequency (RF) energy; wherein an electrical conductor 35 having a distal end electrically connected to the electrosurgical cutting element and a proximal end configured to be connected to a source ESU to deliver radio frequency energy from the source to the electrosurgical cutting element (see figs. 2 & 8; column 1/lines 65-68; column 2/lines 1-5 & 20-31; column 3/lines 21-33; column 5/lines 56-64; column 8/lines 32-41).

In regards to **claims 1, 40, 45 & 49**, both McGukin, Jr. and Tihon et al. teach body excisional devices; McGukin, Jr. teaches cutting elements that are electrocauterizing (see col. 6, lines 23-25); since Tihon et al. teach an arrangement comprising a conductor for powering an electrosurgically powered cutter to excise a body tissue makes the cutting operation easier, more direct, and thus less traumatic, than cutting with an unpowered cutter (see col. 1, line 65 to col. 2, line 5), it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide the instrument of McGukin, Jr. with an electrical conductor as taught by Tihon et al. in order to power the electrosurgical cutter so as to make the cutting operation easier, more direct and thus less traumatic, than cutting with an unpowered cutter. Moreover, use of RF powered cutting element permits the convenient application of coagulating power for hemostasis. Moreover, it is known to provide instruments for encapsulating a specimen in vivo and withdrawing said specimen proximally therefrom (see figs. 1A-B, 3A-B and col. 7, lines 8-38 of US 5,730,726).

7. **Claims 46-48 & 51** are rejected under 35 U.S.C. 103(a) as being unpatentable over McGukin, Jr. ('450) in view of Tihon et al. ('656), and further in view of Grayhack et al. (US 4,611,594).

McGukin, Jr. as modified by Tihon et al. discloses an instrument, as described above, that fails to explicitly teach an instrument wherein the encapsulation component having a plurality of encapsulation elements which are radially extendable from a retracted position to an extension position.

However, **Grayhack et al.** teach that it is known to provide an encapsulation component having a plurality of encapsulation elements 16 which are radially extendable from a retracted position to an extension position; wherein the tissue encapsulation component 20 has a proximal end and a distal end, which is configured to move one end closer to the other end to effect radial extension from the retracted position to the radial extended arcuate position;

wherein the tissue encapsulation component 20 is configured so that the distal end is fixed and the proximal end moves toward the distal end (see figs. 1-7; col. 3, lines 15-32; col. 4, lines 5-21).

In regards to **claims 46-47 & 51**, both McGukin, Jr. and Grayhack et al. teach instruments for encapsulating a specimen in vivo and withdrawing said specimen proximally therefrom; since McGukin, Jr. teaches an expandable aseptic shield to collectibly bag the target tissue mass detached from the patient for aseptic removal in an axial direction (see col. 2, lines 38-42) while Grayhack et al. teach that it is known to provide the encapsulation component with a plurality of encapsulation elements which are radially extendable from a retracted position to an extension position (see figs. 4-6), it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide the instrument of McGukin, Jr. as modified by Tihon et al. with an encapsulation component having a plurality of encapsulation elements which are radially extendable from a retracted position to an extension position as taught by Grayhack et al. in order to collectibly bag the target tissue mass detached from the patient for aseptic removal in an axial direction.

In regards to **claim 48**, McGukin, Jr. teaches an electrically powered cutting element or component (50, 55) coupled to the distal shaft portion which is longitudinally disposed on a distal shaft portion of the instrument, which is actuatable between a radially retracted position and a radially extended position relative to the distal shaft portion(see col. 6, lines 23-26; col. 7, lines 30-38) while Grayhack et al. teach that it is known to provide the encapsulation component with a plurality of encapsulation elements which are radially extendable from a retracted position to an extension position (see figs. 4-6) , it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide the instrument of McGukin, Jr. as modified by Tihon et al. and Grayhack et al. above to include a cutting element and an encapsulating element that expand and retract together as claimed in order to selectively expand and retract both the cutting element and the encapsulating component using a single actuator. Similarly, a single actuator provides the advantage that it may be manipulated with fewer maneuvers, thereby increasing automatism and reducing operational steps. Furthermore, it has previously been held that merely making integral is not patentable--*See in re Larson*, 340 F. 2d 965, 967, 144 USPQ 347, 349 (CCPA 1965); *In re Wolfe*, 251 F.2d 854, 855, 116 USPQ 443, 444 (CCPA 1958). It has also been previously held that merely making automatic is not patentable--*See In re Venner*, 262 F.2d 91, 95, 120 USPQ 192, 194 (CCPA 1958).

Response to Arguments

8. Applicant's arguments filed November 13, 2008 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to RENE TOWA whose telephone number is (571)272-8758. The examiner can normally be reached on M-F, 8:00-16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/R. T./
Examiner, Art Unit 3736

/Max Hindenburg/
Supervisory Patent Examiner, Art Unit 3736